EQUIPMENT

MADE FOR THE TRADE



\$389

- Safe working capacity: 1,000kg (Aust Standards Approved)
 Adjustable boom: 250kg, 500kg, 750kg & 1000kg
- Lifting ram capacity: 8,000kg
 (available as Spare part: Product code: 2008)
- Stabiliser arms clearance: 185mm
- Size: (Arms Ext): 2400H x 960W x 550Dmm

TRADEQUIP

1001E0FY

FOLDING STABILISER ARMS

TRADE

Ideal for automotive & light engineering workshops.
Adjustable boom in four positions for lifting.
Outrigger legs easily fold up for transport or storage.
Six swivel castor wheels allow easy mobility.

Double action 8,000kg long stroke hydraulic lifting ram

Overnoau -rouectous Constructed of high-grade steel and built to exacting standards for quality and durability. Lead-free paint finish, to ensure a long-lasting finish and to help prevent rust. Paint is oil, grease and dirt-resistant for easy cleanup

Short lifting chain & hook with safety latch. Easily exceeds Australian Standards requirem

MADE FOR THE

Conforms to **Australian Standard** AS1418:8

1585mm

Of Financial BONUSIII

for easy engine rotation 820L x 810W x 860H mm

Order this TradeQuip Folding Engine Crane before 30 June to receive

A FREE BONUS!

Engine Stand



Code

All Prices include GST

GARAGE EQUIPMENT

MADE FOR THE TRADE

EOFY Sale!

GARAGE JACKS • BOTTLE JACKS

CHECK OUT OUR WEBSITE

NEW! Product release information CLEARANCE! Product information LATEST! Promotional activity




ABOUT US! Information

Easy to navigate

- Always up to date
- Relevant product information
- Product search engine
- Product specifications
- Product features & benefits
- Manuals and other hard copy information
- Warranty information













GARAGE EQUIPMENT

MADE FOR THE TRADE

GARAGE JACKS • BOTTLE JACKS

- Working load limit: 680kg per wheel
 Size: 400x300mm platform
 Heavy duty solid steel
 Four 75mm swivel castors









\$99 PER PAIR

Heavy duty 75mm swive castors

MADE FOR THE

LIMITED STOCK





Easily move cars backwards, forwards, even sideways. Heavy duty steel construction for strength and durability. Heavy duty swivel castors for great manoeuvrability. Platform features a grooved, treadplate surface that can handle up to a 680kg load. Durable steel deck with tough powder-coat finish.

MECHANICS CREEPER 120KG


- Working load limit: 120kg
- Working length: 1030mm Working width: 440mm

PRICE

Heavy-duty steel framework with powder coat paint finish.

Easy rolling 75mm composite castor with ball bearing swivels.

Padded vinyl covered back and headrest.



DOMIES 500

TRADEQUIP

1078



Heavy duty solid steel construction.
Smooth rolling castors for great manoeuvrability.
Easily move cars backwards, forwards, even sideways.
Durable steel deck with tough powder-coat finish to
help resist scratches and rust.
Not suitable for un-even surfaces.

PER PAIR

MEGIANIGS GREEPER

- Working load limit: 130kg
- Working length: 1010mm
- Working width: 475mm

TRADEQUIP



Rigid moulded PVC construction. 6 multi directional castors. Ergonomic moulded design. Convenient in-built tool trays. Padded foam head rest. Maximum carrying weight 130kg.



VARIOUS JACK STANDS

Constructed of high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting finish and to help prevent rust.
Quick action adjustable height mechanism.
Double-lock safety pin design for extra safety and security.
Welded steel frame & cast iron support.
Adjustable height. Reinforced shaft for added strength stability.

Code	1128T	1148T	1162T
Capacity	2000kg	4000kg	8000kg
Min. Height	285mm	395mm	468mm
Max. Height	428mm	605mm	715mm
Base Area	206x186mm	287x252mm	321x291mm
Price	\$65	\$115	\$199





from

\$65





GARAGE EQUIPMENT

GARAGE JACKS • BOTTLE JACKS

MADE FOR THE TRADE

REEL 3/8" X 55 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 55m
- Max. air pressure: 300PSI Air inlet: 3/8"-BSP Hose colour: Black
- Reel colour: Black

TRADEQUIP
the trusted brand in equipment

1992TEOFY



\$269

des rubber air hose with machined brass fittings.

Air hose manufactured in Germany. Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose.
Eliminates storage and handling problems.

Beveled flanges make it easy to roll hose without kinking. Hand brake prevents the reel from releasing more hose than you need.

HOSE REEL 5/16" X 30 METRE

- Hose I.D.: 8mm (5/16") Hose length: 30m
- Max. air pressure: 300PSI Air inlet: 1/4"-18NPT Hose colour: Black

- Reel colour: Black

TRADEQUIP
the trusted brand in equipment

1993TEOFY



\$239

Includes rubber air hose with machined brass fittings. Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose. Eliminates storage and handling problems. Beveled flanges make it easy to roll hose without kinking. Hand brake prevents the reel from releasing more hose than you need.

Friction stop.



- Hose I.D.: 10mm (3/8") Hose length: 10m
- Max. air pressure: 580PSI Air inlet: 3/8"-BSPT Hose colour: Black Reel colour: Blue

TRADEQUIP

OTEOFY



factured in Germany. Mounts to floor or wall. Art nose manufactured in Germany, mounts to noor of Auto-rewind feature quickly retracts the hose. Eliminates storage and handling problems. Hose has superior bend radius to help prevent kinks. Ratcheting action locks hose at desired length.

Sealed connection points at swivel and hose inlet prevent leaks Enclosed drive spring for protection against weather. Wall and ceiling mountable with 180° swivel.



End Of Financial Year BONUS!!!

Order one of these TradeQuip Air Hose Reels before 30 June to receive these FREE BONUS! 2xAir Blow Guns valued at \$34.00

Code PA6522

PA6523

MADE FOR THE

- Hose I.D.: 10mm (3/8")
- Hose length: 25m
- Max. air pressure: 580PSI Air inlet: 3/8"-BSPT
- Hose colour: Black
- · Reel colour: Black

TRADEQUIP
The trusted brand in equipment

1991TEOFY

\$239

Includes rubber air hose with machined brass fittings Air hose manufactured in Germany.

Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose. Eliminates storage and handling problems. Beveled flanges make it easy to roll hose without kinking.

Friction stor







TRADEQUIP = BORUM RED LAREL

HOSE REEL 3/8" X 15 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 15m
- Max. air pressure: 580PSI
 Air inlet: 1/4"-18NPT
 Hose colour: Black

- · Reel colour: Grey

AUTO

BORUM

3HR41996E0FY

Includes rubber air hose with neoprene shell. Air hose manufactured in Germany.

Machined brass fittings. Mounts to floor, wall or ceiling.

Machineu unass intimgs, mounts to nour, wan or cenning.
Auto-rewind feature quickly retracts the hose.
Ratchet mechanism locks hose at desired length.
Dual pedestal guide arm provides support and stability.
Heavy-duty large chassis steel construction with powder-coat finish protects against corrosion.
Ball bearing swivel joint reduces friction.

Four directional rollers reduce abrasion to the rubber hose.

REEL SAST XX 112 METERS

- Hose I.D.: 10mm (3/8")
- Hose length: 15m
- Max. air pressure: 580PSI Air inlet: 1/4"-18NPT Hose colour: Black

- Reel colour: Grey

AUTO

REWIND

BORUM

R1995E0FY

Heavy-duty steel construc with corrosion-resistan powder-coat finish for extra durability

Includes rubber air hose with neoprene shell.

Includes rubber air hose with neoprene shell.

Air hose manufactured in Germany.

Machined brass fittings. Mounts to floor, wall or ceiling.

Auto-rewind feature quickly retracts the hose.

Ratchet mechanism locks hose at desired length.

Reinforced guide arm provides support and stability.

Heavy-duty steel construction with powder-coat finish.

Ball bearing swivel joint reduces friction.

Four directional rollers reduce abrasion to the rubber hose.

The reinforced guide arm design offers stability and versatile adjustments

Four directional rollers reduce hose wear abrasion

Durable rubber hose withstands pressure up to 580 PSI

vides the right amo of hose for the job

\$199





AIR HOSE REEL 3/8" X 10 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 10m Max. air pressure: 580PSI Air inlet: 1/4"-18NPT
- Hose colour: Black
- Reel colour: Grey

BORUM

BHR1998E0FY

\$239



AUTO

REWIND

ludes rubber air hose with neoprene shell.

Air hose manufactured in Germany.

Machined brass fittings. Mounts to floor, wall or ceiling.

Auto-rewind feature quickly retracts the hose.

Ratchet mechanism locks hose at desired length.

Ratchet mechanism rocks nose at uestreo rengor. Reinforced guide arm provides support and stability. Heavy-duty steel construction with powder-coat finish protects against corrosion. Ball bearing swivel joint reduces friction. Four directional rollers reduce abrasion to the rubber hose.

INDUSTRIAL

HOSE REEL 1/2" X 10 METRE

- Hose I.D.: 13mm (1/2")
- Hose length: 10m
 Max. oil pressure: 2,000PSI
 Air inlet: 1/2"-18NPT
 Hose colour: Black
- Reel colour: Grey

BORUM

BHR1997

\$429

Includes rubber oil resistant hose with neoprene shell. Machined brass fittings.
Mounts to floor, wall or ceiling.
Auto-rewind feature quickly retracts the hose.

Auto-rewnia reactive quickly reutats are noted.

Reinforced guide arm provides support and stability.

Heavy-duty steel construction with powder-coat finish protects against corrosion.

Ball bearing swivel joint reduces friction.

Four directional rollers reduce abrasion to the rubber hose.





GARAGE EQUIPMENT MADE FOR THE TRADE

GARAGE JACKS • BOTTLE JACKS

Dual hook assemblies for balanced support . Adjustable to fit across most car bonnets. Supports engine or transmission during repairs High gloss enamel finish.

r gross chamer missi. Istment screw for load leveling. plied with a short length of chail



- · Working load limit: 800kg
- 360° rotating head 1300L x 940W x 1100H mm

TRADEQUIP

LIMITED STOCK





- Working load limit: 800kg
- 360° rotating head 1190L x 850W x 1230H mm

TRADEQUIP

Built to "Made for the Trade" standards for quality and durability. Lead-free oil, grease and dirt-resistant paint. Heavy-gauge tubular construction with industrial-grade steel bearing castors for easy maneuverability. Mounting head has four adjustable arms & bolt holes accommodate

various load sizes.



- Working load limit: 500kg
- Fits across bonnet
- Rubber support legs protect paint
 Extension: 1020-1430mm

1020T



DJUSTABLE EXTENSION ARMS

ADJUSTABLE


\$149

- Working load limit: 500kg
- Fits across bonnet
 Rubber support legs protect paint
 Extension: 1020-1630mm

10217

1020-1630n

\$199



SUITABLE



ദ്ദവുദ प्रताप्राइ

- Working load limit: 680kg
- 360° rotating head
- Centre height: 895mm870L x 800W x 900H mm

\$199



FEATURES
Paint is oil, grease and dirt-resistant for easy cleanup.
360° swiveling and locking head allows easy rotation for obtaining the perfect angle position.
Long handle with rubber grips allows easy engine rotation.
Heavy-gauge tubular construction with industrial-grade steel bearing castors for easy maneuverability.
Mounting head has four adjustable arms with bolt holes to accommodate various load sizes.
Removable legs for convenient storage.

Working load limit: 450kg

MADE FOR THE

- 360° rotating head
- Centre height: 780mm
 760L x 750W x 860H mm





Slotted mounting head for full adjustment.

Extra wide base for stability and safety.









HEATS UP TO 40

CUBIC METRES



= BORUM RED LAREL





WORKSHOP HEATER SOKW

- Power output: 30kW Motor: 240V/50Hz 10A 150W Air delivery: 720m3/hr
- Air delivery: 720m3/m Fuel consumption: 2.4 Litres per hour Tank capacity: 38 Litres Size: 880 x 456 x 630mm Nett weight: 22.8kg

1096TEOFY

Burns diesel or kerosene. Built in oil burner.
Electronic flame control system. Preheated oil filter.
Safety overheat thermostat and pressure switch.
Stainless steel heat exchanger.
Double skinned combustion chamber for thermoacoustic insulation and safe low surface temperatur
Pre-purge and post-ventilation cycles.
Twist lock fuel cap with cable.



\$649

ORDER YOURS TODAY FOR JUNE

DELIVERY

HEATER 2000W

- Power output: 2000W Motor: 240V/50Hz 10A 150W Air delivery: 210m3/hr Heating area: 40m3 Size: 285 x 240 x 340mm

- Nett weight: 4.2kg

TRADEQUIP

ORDER YOURS **TODAY FOR JUNE** DELIVERY

\$119

NOMES

s up to 40 cubic metres.

L-in thermostat (15 to 70°C).

stable lil control.

less steel tubular heating element.

-reset safety limit provides overheat protection.

anenntly lubricated motor ensures long life.

ble scratch and rust-resistant finish.

fort-grip handle and slip-resistant base.

End Of Financial Year Bonusili

Order one of these TradeQuip 30kW or 50kW Workshop Heaters before 30 June to receive this FREE BONUS! 2000W Workshop Heater

valued at \$119.00



MORKSHOP SOUTH

- Power output: 50kW Motor: 240V/50Hz 10A 150W Air delivery: 1100m3/hr
- Air delivery: Troumsini Fuel consumption: 4 Litres per hour Tank capacity: 56 Litres Size: 1050 x 490 x 615mm Nett weight: 30.5kg

1097TEOFY



- 115731

MADE FOR THE



\$999



